

Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) **EP 1 182 871 A2**

(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:
27.02.2002 Bulletin 2002/09

(51) Int Cl.7: **H04N 5/782**

(21) Application number: **01306829.1**

(22) Date of filing: **10.08.2001**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR**
Designated Extension States:
AL LT LV MK RO SI

(72) Inventors:
• **Kawana, Koichi, c/o Sony Corporation
Tokyo (JP)**
• **Takahashi, Yoko, c/o Sony Corporation
Tokyo (JP)**
• **Korehisa, Makoto, c/o Sony Corporation
Tokyo (JP)**

(30) Priority: **16.08.2000 JP 2000246795**

(71) Applicant: **SONY CORPORATION
Tokyo 141 (JP)**


(74) Representative:
**Robinson, Nigel Alexander Julian et al
D. Young & Co., 21 New Fetter Lane
London EC4A 1DA (GB)**

(54) **Broadcast program recording and playing apparatus and portable terminal for recording and playing broadcast programs**

(57) A broadcast program recording and playing apparatus (300) includes a program management unit (100) that manages a database storing program information for broadcast programs. A transmission unit transmits the program information stored in the data-

base to an electronic apparatus (200) using wireless communication. Under the control of the electronic apparatus (200), a control unit controls an apparatus having functions of recording and playing the broadcast programs (300).

FIG. 1



Description

[0001] The present invention relates to broadcast program recording and playing apparatuses and to portable terminals for recording and playing broadcast programs.

[0002] An environment in which program recording can be set up using an electronic program guide (EPG) on the Internet has been developed. For example, an iEPG (Internet EPG) system is proposed by the same applicant as the present invention.

[0003] The iEPG system is developed for a recording system referred to as Giga Pocket (trademark of Sony Corporation), which sets up program recording using a program guide site on the Internet. The iEPG system is offered as an Internet TV guide. In this recording system, a user browses a list of programs and selects a recording button of a program that the user wants to set up for recording, thereby downloading a text file in which the broadcast station name, program title, start time, and end time are described. In this system, program recording is set up based on various downloaded data. As a result, recordings can be set up only by on-screen operations on the Web.

[0004] Also, there are other products, such as a personal television "Replay TV" and a personal video recorder (PVR) as typified by TiVo, Inc., which can automatically set up recordings using program information based on personal preferences. What Replay TV offers is one service referred to as personal television. Using Replay TV, a user can record a currently-broadcast television program to the user's hard disk drive (HDD) in real time, and, while watching the program, the user can pause and rewind the program. Also, the user can get a program guide and select favorite programs according to actor, theme, and the like. Hence, the user can collect favorite programs into a personal channel on the HDD.

[0005] Although the service offered by PVRs is similar to that using video cassette recorders (VCRs), PVRs are advantageous to VCRs in that PVRs can record programs for hours using a large-capacity hard disk instead of a tape. Since real-time program recording can be performed by a PVR, a PVR user can skip commercials and enjoy the program using pause and rewind functions. Also, the PVR user can select dozens of programs to set up for recording.

[0006] Although the above-described service based on the Internet TV guide only enables a user to set up recordings and to download program information, the service does not enable the user to extract program information based on user's personal preferences. In light of extraction of program information based on the user's personal preferences, conventional recordings by VCRs and the above-described recordings based on the Internet TV guide only differ in that the former uses a remote control and that the latter uses a personal computer (PC) to set up recording. In essence, neither recording system can set up recordings unless the user intends to set up recordings. In the future era of digital

broadcasting and multiple channels, the user may miss more and more programs unless careful attention is given to program information.

[0007] Although the service using Replay TV and PVRs enables each user to set up recordings based on the user's personal preferences, the centralized management of a plurality of individuals' program information cannot be performed because each apparatus is independent.

[0008] Accordingly, it is an object of at least preferred embodiments of the present invention to provide, on the premise that broadcast programs and information for the broadcast programs transmitted by the Internet or digital broadcasting are stored beforehand in a predetermined storage device and hence the program information is extractable, technology to easily select desired broadcast program information based on personal preferences, to play and set up recordings of desired programs, and to perform the centralized management of a plurality of individuals' personal program information.

[0009] According to an aspect of the present invention, a broadcast program recording and playing apparatus is provided including a program management unit for managing a database that stores program information for broadcast programs; a transmission unit for transmitting the program information stored in the database to an electronic apparatus using wireless communication; and a control unit for controlling, under the control of the electronic apparatus, an apparatus having functions of recording and playing broadcast programs.

[0010] The present invention relates to a broadcast program recording and playing apparatus and to a portable terminal for recording and playing broadcast programs in which, on the premise that program information transmitted by the Internet or digital broadcasting is stored beforehand in a database and hence the program information is extractable, the program information is displayed on the portable terminal for each individual, and an audiovisual apparatus is controlled in accordance with the displayed information, thereby selectively playing and programming program recording by selecting the title of a program.

[0011] The electronic apparatus may include a portable terminal.

[0012] The portable terminal may include a private apparatus.

[0013] The apparatus having functions of recording and playing broadcast programs may include an audio apparatus or a video apparatus.

[0014] The wireless communication may be based on a spread spectrum communication system.

[0015] The wireless communication with the electronic apparatus may be switched between communication using a public circuit and short-distance wireless communication.

[0016] The short-distance wireless communication may be based on the Bluetooth system.

[0017] The short-distance wireless communication may be based on an infrared data communication system.

[0018] According to another aspect of the present invention, a portable terminal for recording and playing broadcast programs is provided including a transmission unit for transmitting program information stored in a database that stores the program information for broadcast programs to an electronic apparatus using wireless communication; a display unit for displaying the program information obtained using the transmission unit; and a command transmission unit for transmitting a command that controls an apparatus having functions of recording and playing broadcast programs to a server that controls recording and playing performed by the apparatus.

[0019] The electronic apparatus may include the portable terminal itself.

[0020] The portable terminal may include a private apparatus.

[0021] The apparatus having functions of recording and playing broadcast programs may include an audio apparatus or a video apparatus.

[0022] The wireless communication may be based on a spread spectrum communication system.

[0023] The wireless communication with the electronic apparatus may be switched between communication using a public circuit and short-distance wireless communication.

[0024] The short-distance wireless communication may be based on the Bluetooth system.

[0025] The short-distance wireless communication may be based on an infrared data communication system.

[0026] According to the present invention, on the premise that program information transmitted by the Internet or digital broadcasting is stored beforehand in a database and hence the program information is extractable, the program information is displayed on a portable terminal, such as a cellular phone or a personal digital assistant (PDA), for each individual, and hence an audiovisual apparatus is controlled in accordance with the displayed information. By simply selecting the program title, it is possible to play a program regardless of the storage location of the program. It is also possible to set up recording of a program by selecting the program title, and hence it becomes unnecessary to perform complicated setting of the audiovisual apparatus. Furthermore, it is possible to set up recording of a program from indoors or from outside by installing a device that can establish a wireless link with a cellular phone or a PDA using wireless communication using a public circuit or short-distance wireless communication such as Bluetooth, wireless LAN, and infrared data communication (IrDA).

[0027] According to the present invention, a home server stores an individual's broadcast program information and controls all of the home appliances connect-

ed thereto. A user only needs to use a portable terminal to call-up broadcast program information stored in a database and to select desired broadcast program information. It thus becomes unnecessary to perform complicated setting of audiovisual apparatuses which perform playing and recording of broadcast programs. The portable terminal can operate the audiovisual apparatuses remotely using wireless communication. Also, the portable terminal can establish a link with the home server from the outside through a network such as a public circuit and can gain access to the home server. As a result, the portable terminal can set up recordings regardless of the location of the portable terminal. The home server performs centralized management of individuals' broadcast program information. If necessary, program information in accordance with personal preferences is displayed for each individual. Unnecessary information is not displayed, and hence desired information can be selected efficiently. As a result, the power consumption of the portable terminal is reduced.

[0028] Embodiments of the invention will now be described, by way of example only, with reference to the accompanying drawings in which:

Fig. 1 is a schematic diagram of the overall structure of a broadcast program recording and playing apparatus according to an example embodiment of the present invention;

Fig. 2 is a block diagram of the structure of a portable terminal for recording and playing broadcast programs according to another example embodiment of the present invention;

Fig. 3 is a block diagram of the structure of a wireless transmitting section of a wireless communication unit of the portable terminal for recording and playing broadcast programs;

Fig. 4 is a block diagram of the structure of a wireless receiving section of the wireless communication unit of the portable terminal for recording and playing broadcast programs;

Fig. 5 illustrates a case in which home appliances are controlled by selecting broadcast program information from indoors or from outside by the broadcast program recording and playing apparatus using the portable terminal for recording and playing broadcast programs;

Fig. 6 is a flowchart showing a data communication process performed between the portable terminal and a home server; and

Fig. 7 illustrates the communication procedure between the portable terminal and the home server and that between the home server and home appliances (VCR and TV).

[0029] With reference to the accompanying drawings, the present invention will become apparent from the following description of the preferred embodiments of a broadcast program recording and playing apparatus

and a portable terminal for recording and playing broadcast programs.

[0030] Referring to Fig. 1, a device configuration diagram is shown. A home server 100 includes a database for storing broadcast program information. Portable terminals 200 receive the broadcast program information stored in the database using wireless communication. Home appliances 300 have functions of recording and playing broadcast programs. For example, the home appliances 300 include a tuner 301, an HDD 302, a VCR 303, and a television (TV) 304.

[0031] The home server 100 includes a program management unit for managing the database that stores program information for broadcast programs. The home server 100 also includes a hard disk 110 that obtains and stores broadcast program information from the Internet and digital broadcasting; an extraction unit (not shown) that extracts desired broadcast program information from the obtained broadcast program information; a communication unit (not shown) that communicates data with the portable terminals 200 through a network 400 such as a wireless access network; another communication unit (not shown) that communicates data with the portable terminals 200 using a short-distance wireless communication system such as Bluetooth, infrared data communication, and the like; a selector switch (not shown) for switching between the two communication units; and a control unit (not shown) that controls the home appliances 300 which are connected thereto by a daisy-chain or a bus.

[0032] The portable terminals 200 are electronic apparatuses that can receive program information stored in the database of the home server 100 by transmission units using wireless communication. The portable terminals 200 each include a communication unit for communicating data with the home server 100 through the network 400 such as the wireless access network; another communication unit for communicating data with the home server 100 using the short-distance wireless communication system such as Bluetooth, infrared data communication, and the like; a selector switch for switching between the two communication units; a unit for extracting individual broadcast program information from the home server 100 and displaying the extracted broadcast program information; and a selection unit for selecting the extracted broadcast program information.

[0033] Referring to Fig. 2, the specific structure of the portable terminal 200 is shown. A central processing unit (CPU) 210 controls each section of the portable terminal 200. A read only memory (ROM) 220 stores a program for the CPU 210. In a memory 230, the program and data are expanded. A liquid crystal display (LCD) 240 displays data. A display controller 250 controls the LCD 240. An operation switch 270 selects displayed data and controls the home appliances 300 (see Fig. 1). A wireless communication unit 280 communicates with the home server 100 (see Fig. 1) indoors and outside. An input/output (I/O) controller 260 controls the opera-

tion switch 270 and the wireless communication unit 280.

[0034] The wireless communication unit 280 has a function of appropriately switching between communication using a public circuit based on a spread spectrum communication system and short-distance wireless communication based on the spread spectrum communication system. The wireless communication unit 280 includes a wireless transmitting section shown in Fig. 3 and a wireless receiving section shown in Fig. 4.

[0035] Referring to Fig. 3, the wireless transmitting section includes a direct spectrum (DS) transmitter 281 that transmits data through the network 400 using the spread spectrum communication system. A frequency hopping (FH) transmitter 282 transmits data using short-distance wireless communication based on the spread spectrum communication system. A switch 283 switches between the DS transmitter 281 and the FH transmitter 282. A controller 284 controls the DS transmitter 281 and the FH transmitter 282.

[0036] The DS transmitter 281 is a transmitter for communicating, from the outside, with the home server 100 through the network 400 such as the wireless access network, which is the public circuit. The DS transmitter 281 includes a baseband circuit 281a that processes data using a spread spectrum system (direct spreading); an IF-BB modulator-demodulator 281b that converts a baseband signal obtained by the baseband circuit 281a into an intermediate frequency (IF) signal; an IF-RF modulator-demodulator 281c that converts the IF signal into a radio frequency (RF) signal; a power amplifier 281d that amplifies the RF data (signal) so that it transmits a signal at predetermined power; and a transmission antenna 281e.

[0037] The FH transmitter 282 is a short-distance wireless transmitter that communicates information with the home server 100, particularly indoors. The FH transmitter 282 includes a baseband circuit 282a that processes data using a spread spectrum system (frequency hopping); an IF-BB modulator-demodulator 282b that converts a baseband signal obtained by the baseband circuit 282a into an IF signal; an IF-RF modulator-demodulator 282c that converts the IF signal into an RF signal; and a transmission antenna 282d.

[0038] Referring to Fig. 4, the wireless receiving section is shown. The wireless receiving section includes a DS receiver 285 that receives data (signal) that has undergone spread spectrum processing via the network 400; an FH receiver 286 that receives data (signal) using short-distance wireless communication based on the spread spectrum communication system; a switch 287 that switches between the DS receiver 285 and the FH receiver 286; and a controller 288 that controls the DS receiver 285 and the FH receiver 286.

[0039] The DS receiver 285 is a receiver that communicates, from the outside, information with the home server 100 through the network such as the wireless access network, which is the public circuit. The DS receiver

er 285 includes a reception antenna 285e that receives data (signal) such as broadcast program information from the home server 100; a low noise amplifier (LNA) 285d that amplifies the received data (signal) such as the program information; an IF-RF modulator-demodulator 285c that converts an RF signal from the LNA 285d into an IF signal; an IF-BB modulator-demodulator 285b that converts the IF signal into a baseband signal; and a baseband circuit 285a that demodulates (de-spreads) the baseband signal.

[0040] The FH receiver 286 is a short-distance wireless receiver that communicates information with the home server 100 indoors. The FH receiver 286 includes a reception antenna 286e that receives data (signal) such as broadcast program information from the home server 100; an LNA 286d that amplifies the received data (signal) such as the program information; an IF-RF modulator-demodulator 286c that converts an RF signal from the LNA 286d into an IF signal; an IF-BB modulator-demodulator 286b that converts the IF signal into a baseband signal; and a baseband circuit 286a that demodulates (de-spreads) the baseband signal.

[0041] Referring back to Fig. 1, the home appliances 300 include the tuner 301 that receives broadcast programs such as digital broadcast programs and the like; the HDD 302 that records and stores data for the broadcast programs and the like; the VCR 303 that records and plays broadcast programs; and the TV 304 that displays received or recorded broadcast programs. The home appliances 300 are connected to the home server 100 by a daisy-chain or a bus. The home appliances 300 are controlled by the portable terminal 200 through the home server 100.

[0042] With the foregoing system configuration, the portable terminals 200, which are electronic apparatuses, operate indoors the home appliances 300 having functions of recording and playing broadcast programs. This case will be described with reference to the drawings.

[0043] Referring to Fig. 5, the system includes the home server 100 shown in Fig. 1, the portable terminals 200 shown in Fig. 2, and the home appliances 300 including the HDD 302, the VCR 303, and the TV 304. The home appliances 300 are connected to the home server 100.

[0044] Broadcast program information is extracted in accordance with personal preferences from broadcast program information obtained from a network such as the Internet, and the extracted information is stored in a recording storage medium, such as the hard disk 110 (not shown in Fig. 5) in the home server 100. The home appliances 300 such as the VCR 303 and the like can record broadcast programs and receive desired broadcast programs from a server (not shown) that stores broadcast programs.

[0045] Fig. 6 shows a flowchart of a data communication process performed between the home server 100 and the portable terminals 200.

[0046] The home server 100 is always waiting for the portable terminal 200 to establish a link (step ST110). When a user operates the operation switch 270 or the like, the portable terminal 200 transmits, from indoors or from outside, a request to establish a link with the home server 100. The home server 100 determines whether the link request from the portable terminal 200 is transmitted from indoors or from outside and operates so as to establish a link with the portable terminal 200 (steps ST120 and ST130). When the portable terminal 200 tries to establish a link from the outside using a public circuit, or when the link status between the portable terminal 200 and the home server 100 becomes unstable due to its environment or the like, the process displays information currently stored in a memory of the portable terminal 200 or an error message indicating that link establishment failed (step ST140), and the process starts operating the portable terminal 200 (step ST150).

[0047] When it is determined that the process performs short-distance wireless communication (step ST120), the home server 100 establishes a link with the portable terminal 200 (step ST160). The home server 100 transmits the user's most recent individual broadcast program information stored in the recording storage medium to the portable terminal 200 (step ST170). The LCD 240 of the portable terminal 200 displays the broadcast program information transmitted from the home server 100 (step ST180). The user operates the operation switch 270 of the portable terminal 200 to select desired broadcast program information (step ST190).

[0048] When it is determined that the process performs data communication using a public circuit (step ST130), the home server 100 establishes a link with the portable terminal 200 (step ST200). The home server 100 transmits the user's most recent individual broadcast program information stored in the recording storage medium to the portable terminal 200 (step ST210). The LCD 240 of the portable terminal 200 displays the broadcast program information transmitted from the home server 100 (step ST220). The user operates the operation switch 270 of the portable terminal 200 to select the desired broadcast program information (step ST230).

[0049] In this manner, under the control of the portable terminal 200, the home server 100 and the portable terminal 200 can play or set up recording of a desired broadcast program.

[0050] Referring to Figs. 5 and 7, the portable terminal 200 establishes, from indoors, a link with the home server 100 and selects and plays the desired broadcast program information (content). Fig. 5 shows the system configuration, and Fig. 7 shows a communication procedure (protocol).

[0051] The portable terminal 200 establishes a link with the home server 100, and a user obtains individual broadcast program information and selects desired broadcast program information. Fig. 7(A) shows a process performed between the portable terminal 200 and

the home server 100. The home server 100 is always waiting for the portable terminal 200 to establish a link therewith. The user selects indoors/outside using the operation switch 270 of the portable terminal 200. Referring to Fig. 5, the process switches to short-distance wireless communication and transmits a link request (HELLO) to the home server 100. When the home server 100 receives the link request, the home server 100 performs link establishment processing and transmits a response to the portable terminal 200. The portable terminal 200 confirms the link establishment and transmits a confirmation signal to the home server 100. The home server 100 acknowledges that the portable terminal 200 has confirmed the link establishment. Accordingly, the link for performing mutual data communication is established.

[0052] When the mutual link is established, the portable terminal 200 requests individual broadcast program information stored in the home server 100. In response to the request, the home server 100 transmits the individual broadcast program information stored in the recording storage medium to the portable terminal 200. The portable terminal 200 in turn confirms that reception of the entire broadcast program information is completed and transmits a confirmation signal to the home server 100. The home server 100 acknowledges the confirmation signal from the portable terminal 200. Accordingly, the portable terminal 200 obtains the individual broadcast program information stored in the home server 100.

[0053] Having obtained the individual broadcast program information, the portable terminal 200 causes the LCD 240 to display the titles of broadcast programs and the like. The user operates the operation switch 270 to select desired broadcast program information (content) (see Fig. 5). Selection information for the broadcast program information selected by the user is transmitted to the home server 100. The home server 100 receives the selection information for the selected broadcast program information and transmits a confirmation response to the portable terminal 200. The portable terminal 200 receives the response from the home server 100 and confirms that the selection of the broadcast program information is completed.

[0054] When the selection of the broadcast program information is completed, the portable terminal 200 terminates the link with the home server 100. When the operation switch 270 is not operated for a predetermined period of time, the portable terminal 200 transmits a link terminating signal to the home server 100. When the home server 100 receives the link terminating signal, the home server 100 terminates the link and transmits a response to the portable terminal 200. The portable terminal 200 confirms that the link is terminated and transmits a confirmation signal to the home server 100. The home server receives the confirmation signal and acknowledges that the link with the portable terminal 200 is terminated. Accordingly, data communication be-

tween the home server 100 and the portable terminal 200 is terminated.

[0055] Based on the selected broadcast program information, the home server 100 determines whether the selected information indicates an already recorded broadcast program or a broadcast program yet to be recorded. Then, the home server 100 selects an appropriate apparatus from among the home appliances 300 and gives an instruction to the selected apparatus. For example, as shown in Fig. 7(B), when the selected broadcast program information indicates a broadcast program that is already recorded by the VCR 303, the home server 100 transmits an activation request to the VCR 303 to play a predetermined broadcast program.

The VCR 303 receives the activation request from the home server 100 and transmits an acceptance (or refusal) signal in response to the activation request to the home server 100. The home server 100 confirms that the request has been accepted (or refused) based on the signal from the VCR 303. The home server 100 transmits information and designates the start position of a tape inserted in the VCR 303 at which a desired broadcast program is recorded. In response to the designation (playback start position) from the home server 100, the VCR 303 prepares for playing in accordance with the designation and transmits an acknowledgement to the home server 100. The home server 100 confirms the acknowledgement from the VCR 303. Accordingly, the VCR 303 is ready to play the program.

[0056] Subsequently, the home server 100 requests the TV 304 for displaying images from the VCR 303 to switch input so that the TV 304 can play signals from the VCR 303. The TV 304 receives the input switch request and transmits an acceptance signal to the home server 100. The home server 100 in turn confirms the acceptance from the TV 304. In response to an instruction from the home server 100, the VCR 303 starts playing the desired broadcast program, and the TV 304 projects images of the desired broadcast program.

[0057] In so far as the embodiments of the invention described above are implemented, at least in part, using software-controlled data processing apparatus, it will be appreciated that a computer program providing such software control and a storage medium by which such a computer program is stored are envisaged as aspects of the present invention.

Claims

1. A broadcast program recording and playing apparatus comprising:

program management means for managing a database that stores program information for broadcast programs;

transmission means for transmitting the program information stored in the database to an

electronic apparatus using wireless communication; and
control means for controlling, under the control of said electronic apparatus, an apparatus having functions of recording and playing broadcast programs.

2. A broadcast program recording and playing apparatus according to Claim 1, wherein said electronic apparatus comprises a portable terminal.
3. A broadcast program recording and playing apparatus according to Claim 2, wherein said portable terminal comprises a private apparatus.
4. A broadcast program recording and playing apparatus according to Claim 1, wherein the apparatus having functions of recording and playing broadcast programs comprises an audio apparatus or a video apparatus.
5. A broadcast program recording and playing apparatus according to Claim 1, wherein the wireless communication is based on a spread spectrum communication system.
6. A broadcast program recording and playing apparatus according to Claim 1, wherein the wireless communication with said electronic apparatus is switched between communication using a public circuit and short-distance wireless communication.
7. A broadcast program recording and playing apparatus according to Claim 6, wherein the short-distance wireless communication is based on the Bluetooth system.
8. A broadcast program recording and playing apparatus according to Claim 6, wherein the short-distance wireless communication is based on an infrared data communication system.
9. A portable terminal for recording and playing broadcast programs, comprising:

transmission means for transmitting program information stored in a database that stores the program information for broadcast programs to an electronic apparatus using wireless communication;

display means for displaying the program information obtained using said transmission means; and

command transmission means for transmitting a command that controls an apparatus having functions of recording and playing broadcast programs to a server that controls recording and playing performed by the apparatus.

10. A portable terminal for recording and playing broadcast programs according to Claim 9, wherein said electronic apparatus comprises said portable terminal itself.

11. A portable terminal for recording and playing broadcast programs according to Claim 10, wherein said portable terminal comprises a private apparatus.

12. A portable terminal for recording and playing broadcast programs according to Claim 9, wherein the apparatus having functions of recording and playing broadcast programs comprises an audio apparatus or a video apparatus.

13. A portable terminal for recording and playing broadcast programs according to Claim 9, wherein the wireless communication is based on a spread spectrum communication system.

14. A portable terminal for recording and playing broadcast programs according to Claim 9, wherein the wireless communication with said electronic apparatus is switched between communication using a public circuit and short-distance wireless communication.

15. A portable terminal for recording and playing broadcast programs according to Claim 14, wherein the short-distance wireless communication is based on the Bluetooth system.

16. A portable terminal for recording and playing broadcast programs according to Claim 14, wherein the short-distance wireless communication is based on an infrared data communication system.

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7





(12) **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3:
03.03.2004 Bulletin 2004/10

(51) Int Cl.7: **H04N 5/782**

(43) Date of publication A2:
27.02.2002 Bulletin 2002/09

(21) Application number: **01306829.1**

(22) Date of filing: **10.08.2001**

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR
 Designated Extension States:
AL LT LV MK RO SI

- **Takahashi, Yoko, c/o Sony Corporation**
Tokyo (JP)
- **Korehisa, Makoto, c/o Sony Corporation**
Tokyo (JP)

(30) Priority: **16.08.2000 JP 2000246795**

(71) Applicant: **SONY CORPORATION**
Tokyo 141 (JP)

(74) Representative:
Robinson, Nigel Alexander Julian et al
D. Young & Co.,
21 New Fetter Lane
London EC4A 1DA (GB)


(72) Inventors:
 • **Kawana, Koichi, c/o Sony Corporation**
Tokyo (JP)

(54) **Broadcast program recording and playing apparatus and portable terminal for recording and playing broadcast programs**

(57) A broadcast program recording and playing apparatus (300) includes a program management unit (100) that manages a database storing program information for broadcast programs. A transmission unit transmits the program information stored in the data-

base to an electronic apparatus (200) using wireless communication. Under the control of the electronic apparatus (200), a control unit controls an apparatus having functions of recording and playing the broadcast programs (300).

FIG. 1





European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 01 30 6829

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	GB 2 343 074 A (SONY UK LTD) 26 April 2000 (2000-04-26)	1-4,9-12	H04N5/782
Y	* page 2 * * page 3 * * page 4 * * page 9 * * page 10 * * page 20 * * figures 1-3,12,14,15 *	5,6,8, 13,14,16	
Y	US 6 075 812 A (FISCHER JEFFREY H ET AL) 13 June 2000 (2000-06-13) * abstract *	5,13	
A	WO 99 04561 A (SCHOAFF P CHRISTOPHER ;ALEXANDER RON (US); GUIDE E INC (US); HANCO) 28 January 1999 (1999-01-28) * the whole document *	1,9	
A	US 5 945 988 A (SHAH-NAZAROFF ANTHONY A ET AL) 31 August 1999 (1999-08-31) * the whole document *	1,5,9,13	TECHNICAL FIELDS SEARCHED (Int.Cl.7) H04N
Y	DE 197 37 651 A (RIEMANN FRANK) 6 May 1999 (1999-05-06)	6,8,14, 16	
A	* page 2-4 * * abstract * * figure 1 *	7,15	
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 1 December 2003	Examiner Braga, J
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

EPO FORM 1203 03 82 (P04011)



European Patent
Office

Application Number

EP 01 30 6829

CLAIMS INCURRING FEES

The present European patent application comprised at the time of filing more than ten claims.

- ☐ Only part of the claims have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims and for those claims for which claims fees have been paid, namely claim(s):
- ☐ No claims fees have been paid within the prescribed time limit. The present European search report has been drawn up for the first ten claims.

LACK OF UNITY OF INVENTION

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

see sheet B

- ☒ All further search fees have been paid within the fixed time limit. The present European search report has been drawn up for all claims.
- ☐ As all searchable claims could be searched without effort justifying an additional fee, the Search Division did not invite payment of any additional fee.
- ☐ Only part of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the inventions in respect of which search fees have been paid, namely claims:
- ☐ None of the further search fees have been paid within the fixed time limit. The present European search report has been drawn up for those parts of the European patent application which relate to the invention first mentioned in the claims, namely claims:



European Patent
Office

LACK OF UNITY OF INVENTION
SHEET B

Application Number
EP 01 30 6829

The Search Division considers that the present European patent application does not comply with the requirements of unity of invention and relates to several inventions or groups of inventions, namely:

1. Claims: 1-5,9-13

Device, comprising program management means, control means, and transmission means, using wireless communication, the communication being based on spread spectrum communication.

2. Claims: 6-8,14-16

Device, comprising program management means, control means, and transmission means, using wireless communication, the communication being switched between communication using a public circuit and short-distance wireless communication.

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 01 30 6829

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

01-12-2003

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
GB 2343074	A	26-04-2000	NONE	
US 6075812	A	13-06-2000	US 5809060 A	15-09-1998
			US 6473449 B1	29-10-2002
			AU 684905 B2	08-01-1998
			AU 1699795 A	04-09-1995
			CA 2176401 A1	24-08-1995
			CN 1405984 A	26-03-2003
			CN 1141103 A ,B	22-01-1997
			EP 0745290 A1	04-12-1996
			JP 3406319 B2	12-05-2003
			JP 9509294 T	16-09-1997
			JP 2002198860 A	12-07-2002
			JP 2003168999 A	13-06-2003
			SG 52170 A1	28-09-1998
			WO 9522859 A1	24-08-1995
			ZA 9501282 A	23-10-1995
WO 9904561	A	28-01-1999	AT 235780 T	15-04-2003
			AU 733993 B2	31-05-2001
			AU 8504898 A	10-02-1999
			BR 9812104 A	18-07-2000
			CA 2297039 C	12-02-2002
			CN 1290452 T	04-04-2001
			DE 69812701 D1	30-04-2003
			DK 1036466 T3	14-07-2003
			EP 1339229 A2	27-08-2003
			EP 1036466 A1	20-09-2000
			JP 2001513595 T	04-09-2001
			US 6122011 A	19-09-2000
			US 2002073424 A1	13-06-2002
			WO 9904561 A1	28-01-1999
			US 6177931 B1	23-01-2001
			US 2003208756 A1	06-11-2003
			US 6217435 B1	17-04-2001
US 5945988	A	31-08-1999	AU 3219797 A	05-01-1998
			US 5977964 A	02-11-1999
			WO 9747135 A1	11-12-1997
			CN 1224350 A	28-07-1999
			BR 9712783 A	24-10-2000
			HU 0003381 A2	28-05-2001
			JP 2002515875 T	28-05-2002
			KR 2000022233 A	25-04-2000
			NZ 333565 A	28-07-2000
			RU 2185824 C2	27-07-2002

EPO FORM P459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 01 30 6829

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

01-12-2003

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5945988 A	SK	180498 A3	13-03-2000
DE 19737651 A	06-05-1999	DE 19737651 A1	06-05-1999

EPO FORM P0486

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82